

Name ANSWERS Period _____ Date _____

Geometry 21: Review for Quiz on 4.1-4.4

State each of the following:

1. SAS theorem-

If 2 sides of one \triangle are \cong to 2 corresponding sides on another \triangle and their included \angle 's are \cong , then the \triangle 's are \cong

2. Right angles theorem

All right \angle 's are \cong

Use the congruence statement $FAITH \cong LUKEC$ to complete the following:


3. $\angle A \cong \angle \underline{U}$

4. $\overline{EK} \cong \underline{\overline{FI}}$

5. $\angle AFH \cong \angle \underline{ULC}$

For each triangle described below, if another triangle is drawn with the same corresponding information, would the 2 triangles be GUARANTEED to be congruent? In other words, is the given information enough to determine a unique triangle? If yes, state the theorem or postulate to support your answer.


6. In $\triangle KAT$; $KA = 6$, $AT = 8$, $m\angle K = 90^\circ$



yes, HL


No SSS not a postulate

7. In $\triangle IAN$; $m\angle I = 46^\circ$, $m\angle N = 63^\circ$, $IN = 12$



yes, ASA

8. In $\triangle ZAK$; $AZ = 4$, $AK = 5$, $m\angle K = 29^\circ$




No, SSA not a postulate

Using the diagram below (not drawn to scale) and given the following information, which two triangles are congruent? Briefly explain your answer and give the theorem or postulate that proves the congruence. (Don't do a proof, just briefly explain).

9. F is the midpoint of \overline{DE} and \overline{BC}

$$\triangle DFC \cong \triangle BFE$$

Vertical \angle s and SAS





10. $\angle CDB \cong \angle EBD$, $\angle DEB \cong \angle BCD$

$$\triangle BDC \cong \triangle DBE$$

$\overline{DB} \cong \overline{DB}$ reflexive, then AAS

11. In $\triangle ABC$, $AB=3$, $BC=4$, and $AC=5$. In $\triangle XYZ$, $XY=5$, $YZ=4$, and $XZ=3$. Write a congruence statement for the triangles.




$$\triangle ABC \cong \triangle XYZ$$

12. In $\triangle TRI$ and $\triangle NGL$, $\overline{RI} \cong \overline{GN}$ and $\angle G \cong \angle R$, what other information would you need in order to say the triangles were congruent by AAS?



$$\angle I \cong \angle N$$

13. solve for x if $m\angle A = 5x^2 - 3$, and $m\angle D = 3x^2 - x$



$$m\angle A = m\angle D \text{ (corresp. pts. } \cong \text{ triangles } \cong)$$

$$\begin{aligned} 5x^2 - 3 &= 3x^2 - x \\ -3x^2 &\quad -3x^2 + x \\ 2x^2 + x - 3 &= 0 \end{aligned}$$


$$(2x + 3)(x - 1) = 0$$

$$\begin{array}{|c|c|} \hline -1 & -3 \\ \hline -2x & -3 \\ \hline 2x^2 & 3x \\ \hline 2x & 3 \\ \hline \end{array}$$


$\cancel{-6x^2}$
 $\cancel{3x} - \cancel{2x}$

$$\begin{aligned} 2x + 3 &= 0 & x - 1 &= 0 \\ 2x &= -3 & x &= 1 \\ x &= -3/2 & & \boxed{x=1} \end{aligned}$$


Geometry 21: LOTS of practice with Triangle Congruence Proofs!!! ☺

1. Given: $\angle AXB \cong \angle CXB, \angle ABX \cong \angle CBX$ Prove: $\overline{AB} \cong \overline{CB}$ 


- | | |
|--|--|
| S
1) $\angle AXB \cong \angle CXB$
$\angle ABX \cong \angle CBX$
2) $\overline{BX} \cong \overline{BX}$
3) $\triangle AXB \cong \triangle CXB$
4) $\overline{AB} \cong \overline{CB}$ | R
1) Given
2) Reflexive
3) ASA
4) Corresponding parts $\cong \Delta's \cong$ |
|--|--|

2. Given: Q is the midpoint of \overline{PR} , $\angle P \cong \angle QRT$ Prove: Q is the midpoint of \overline{ST} 


- | | |
|--|--|
| S
1) Q is midpt. of \overline{PR}
2) $\overline{PQ} \cong \overline{QR}$
3) $\angle P \cong \angle QRT$
4) $\angle SQP \cong \angle TQR$
5) $\triangle SQP \cong \triangle TQR$
6) $\overline{SQ} \cong \overline{TQ}$
7) Q is midpt. \overline{ST} | R
1) Given
2) Defn. midpt.
3) Given
4) Vertical $\angle's$ Thm
5) ASA
6) Corresponding parts $\cong \Delta's \cong$
7) Defn. midpt. |
|--|--|

3. Given: $\overline{AB} \parallel \overline{CD}, \overline{BC} \parallel \overline{DE}, C$ is the midpoint of \overline{AE} Prove: $\overline{BC} \cong \overline{DE}$ 

- | | |
|--|---|
| S
1) $\overline{AB} \parallel \overline{CD}$
2) $\angle A \cong \angle DCE$
3) $\overline{BC} \parallel \overline{DE}$
4) $\angle ACB \cong \angle CED$
5) C is midpt. of \overline{AE}
6) $\overline{AC} \cong \overline{CE}$
7) $\triangle ABC \cong \triangle CDE$
8) $\overline{BC} \cong \overline{DE}$ | R
1) Given
2) Corresponding $\angle's$ Thm
3) Given
4) Corresponding $\angle's$ Thm
5) Given
6) Defn. midpt.
7) ASA
8) Corresponding parts $\cong \Delta's \cong$. |
|--|---|




- Given: $\angle 1 \cong \angle 4, \angle 2 \cong \angle 3$
 4. Prove: $\overline{AB} \cong \overline{CD}$




R

- 1) Given
 2) Reflexive \bigcirc
 3) ASA
 4) Corr. Pts. $\cong \Delta's \cong$

5. Given: $\overline{BA} \cong \overline{BC}, \overline{BD} \cong \overline{BE}$
 Prove: $\angle BDC \cong \angle BEA$




- S**
- 1) $\overline{BA} \cong \overline{BC}, \overline{BD} \cong \overline{BE}$
 2) $\angle B \cong \angle B$
 3) $\triangle BDC \cong \triangle BEA$
 4) $\angle BDC \cong \angle BEA$



\bigcirc

6. Given: $\overline{AB} \cong \overline{AC}, M$ is the midpoint of \overline{BC}
 Prove: \overline{AM} bisects $\angle BAC$



- S**
- 1) $\overline{AB} \cong \overline{AC}, M$ midpt. \overline{BC}
 2) $\overline{BM} \cong \overline{CM}$
 3) $\overline{AM} \cong \overline{AM}$
 4) $\triangle ABM \cong \triangle ACM$
 5) $\angle BAM \cong \angle CAM$
 6) \overline{AM} bisects $\angle BAC$

- R**
- 1) Given
 2) Defn. midpt.
 3) Reflexive
 4) SSS
 5) Corr. pts. $\cong \Delta's \cong$
 6) Defn. bisector.


\bigcirc

Given: $\overline{NR} \cong \overline{PR}$, \overline{RO} bisects $\angle NRP$

Prove: \overline{OR} bisects $\angle NOP$

S

- 1) $\overline{NR} \cong \overline{PR}$; \overline{RO} bisects $\angle NRP$
- 2) $\angle ORN \cong \angle ORP$
- 3) $\overline{OR} \cong \overline{OR}$
- 4) $\angle NOR \cong \angle POR$
- 5) \overline{OR} bisects $\angle NOP$



R

- 1) Given
- 2) Defn. bisect.
- 3) Reflexive
- 4) Corr. Thm
- 5) Defn. bisect.

Given: $\overline{HJ} \cong \overline{KJ}$, $\angle MJH \cong \angle MJK$


Prove: \overline{MJ} bisects $\angle HMK$

S

- 1) $\overline{HJ} \cong \overline{KJ}$; $\angle MJH \cong \angle MJK$
- 2) $\overline{MJ} \cong \overline{MJ}$
- 3) $\triangle MJH \cong \triangle MJK$
- 4) $\angle HMJ \cong \angle KMJ$
- 5) \overline{MJ} bisects $\angle HMK$

R

- 1) Given
- 2) Reflexive
- 3) SAS
- 4) Corr. pts. $\cong \Delta J \cong$
- 5) Defn. bisect.



Given: $\overline{BE} \perp \overline{AD}$, $\overline{AC} \perp \overline{BD}$, $\overline{AC} \cong \overline{BE}$


Prove: $\overline{DE} \cong \overline{EC}$

S


- 1) $\overline{BE} \perp \overline{AD}$; $\overline{AC} \perp \overline{BD}$; $\overline{AC} \cong \overline{BE}$
- 2) $\angle BED \cong \angle ACD$ are rt. \angle 's
- 3) $\angle BED \cong \angle ACD$
- 4) $\angle D \cong \angle C$
- 5) $\overline{DE} \cong \overline{EC}$

R

- 1) Given
- 2) Defn. \perp
- 3) Rt. \angle 's Thm
- 4) Reflexive
- 5) Corr. pts. $\cong \Delta J \cong$




- Given: \overline{PK} and \overline{JM} bisect each other at R
 10. Prove: $\overline{PJ} \cong \overline{KM}$



S	R
1) \overline{PK} and \overline{JM} bis. each other at R	1) Given
2) $\overline{PR} \cong \overline{KR}$; $\overline{JR} \cong \overline{MR}$	2) Defn. bisection
3) $\angle PRJ \cong \angle KRM$	3) Vertical \angle 's Thm
4) $\triangle PRJ \cong \triangle KRM$	4) SAS
5) $\overline{PJ} \cong \overline{KM}$	5) Corr. parts \cong Δ 's \cong

- Given: F is the midpoint of \overline{DE} and \overline{BC}
 11. Prove: $\overline{DC} \cong \overline{BE}$



S	R
1) F is midpt. \overline{DE} and \overline{BC}	1) Given
2) $\overline{DF} \cong \overline{EF}$; $\overline{BF} \cong \overline{CF}$	2) Defn. midpt.
3) $\angle DFC \cong \angle BFE$	3) Vertical \angle 's Thm
4) $\triangle DFC \cong \triangle BFE$	4) SAS
5) $\overline{DC} \cong \overline{BE}$	5) Corr. parts. \cong Δ 's \cong

F is midpt. \overline{DE} & \overline{BC}

Given

$\overline{DF} \cong \overline{EF}$
Defn. midpt.

$\overline{BF} \cong \overline{CF}$

$\angle DFC \cong \angle BFE$
Vertical \angle Thm







$\triangle DFC \cong \triangle BFE$
SAS

$\overline{DC} \cong \overline{BE}$
Corr. pts. \cong Δ 's \cong





Name _____ Period _____ Date _____

Geometry 21: A Little More Practice with Triangle Congruence (4.1-4.4, 4.6)

1. State if the following triangles are congruent or not. If so, state the postulate or theorem you used.



2. Label and state what additional information the triangles need to be congruent for the given reason. Then, complete the triangle congruence statements.



$$\Delta CED \cong \Delta \underline{CVU}$$

$$\Delta WXV \cong \Delta \underline{KVX}$$

$$\Delta UDT \cong \Delta \underline{UST}$$

$$\Delta HMK \cong \Delta \underline{LMK}$$

3. Find the value of x that makes the triangles congruent.

a.

$x = \underline{17}$

$$6x - 27 = 4x + 7$$

$$-4x + 27 = 4x + 7$$

$$2x = 34$$

$$x = 17$$

b.

$x = \underline{1.8}$

$$22x - 3.6 = 20x$$


$$-22x \quad -22x$$

$$-3.6 = -2x$$


$$x = 1.8$$

4. Find the values of the missing variables, given the following triangle congruence statements.


a. $\triangle RST \cong \triangle TUR$



b. $\triangle GHJ \cong \triangle IHJ$



5. Solve for x.



$$2x^2 + 7 = x^2 - 8x$$

$$\cancel{x^2} - \cancel{x^2}$$

$$x^2 + 8x + 7 = 0$$

$$(x + 1)(x + 7) = 0$$

$$x = -1, -7$$

$$(3x - 8)(x + 2) = 0$$

$$\begin{array}{r} -8 \\ 3x \\ \hline -8x - 16 \\ 3x^2 + 6x \\ \hline -48x^2 \\ -8x \\ \hline -2x \end{array}$$


$$3x - 8 = 0 \quad x + 2 = 0$$

$$3x = 8$$

$$x = 8/3$$

$$x = -2$$

6. For which value(s) of x are the triangles congruent?




$$x^2 + 2x = x^2 + 24$$

$$2x = 24$$

$$x = 12$$

7. For what values of x and y are the triangles congruent by HL?



$$x + y = 3x - 3y$$

$$2x = 3(2) - 3y$$

$$2x = 6 - 3y$$

$$4y = 4$$

$$y = 1$$

$$2x + 1 = x + 3$$

$$-x - 1 - x - 1$$

$$x = 2$$

8. Describe the situation in which "SSA" works. What do we call it?

SSA works if the "A" (angle) is a RIGHT \angle in a right \triangle , and hypotenuses are one "S" and a leg is the other "S". We call it (HL)